

**INSTALL A DOMAIN CONTROLLER BY
USING INSTALL FROM MEDIA (IFM)**

Installing a Domain Controller by using IFM

- If you install AD DS on remote office, you will need to copy the entire AD DS database and SYSVOL folder to the new Domain Controller.
- This process must take place over a potentially unreliable WAN link.
- As an alternative, and to significantly reduce the amount of the traffic copied over the network...

Installing Additional Domain Controller in Windows Server 2012 using IFM
(installtion from media)....

1) create IFM copy on root dc....

Administrator: C:\Windows\system32\cmd.exe - ntdsutil

Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.

```
C:\Users\Administrator>ntdsutil
ntdsutil: activate instance ntds
Active instance set to "ntds".
ntdsutil: ifm
ifm: help
```

```
? - Show this help information
Create Full %s - Create IFM media for a full AD DC or an AD/LDS instance into folder %s
Create Full NoDefrag %s - Create IFM media without defragmenting for a full AD DC or an AD/LDS instance
into folder %s
Create RODC %s - Create IFM media for a Read-only DC into folder %s
Create Sysvol Full %s - Create IFM media with SYSVOL for a full AD DC into folder %s
Create Sysvol Full NoDefrag %s - Create IFM media with SYSVOL and without defragmenting for a full AD DC into
folder %s
Create Sysvol RODC %s - Create IFM media with SYSVOL for a Read-only DC into folder %s
Help - Show this help information
Quit - Return to the prior menu
```

```
ifm: Create Sysvol Full c:\IFM
Creating snapshot...
```

Windows Server 2012


Windows Server 2012 Datacenter Evaluation


Windows License valid for 171 days


Build 9200

Mark Administrator: C:\Windows\system32\cmd.exe - ntdsutil

```
Copying c:\IFM\SYSVOL\mylab.com\Policies
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\GPT.INI
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\MACHINE
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\MACHINE\Microsoft
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\MACHINE\Microsoft\Windows NT
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\MACHINE\Microsoft\Windows NT\SecEdit
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\MACHINE\Microsoft\Windows NT\SecEdit\GptTmpl.inf
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\MACHINE\Registry.pol
Copying c:\IFM\SYSVOL\mylab.com\Policies\{31B2F340-016D-11D2-945F-00C04FB984F9}\USER
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\GPT.INI
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\MACHINE
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\MACHINE\Microsoft
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\MACHINE\Microsoft\Windows NT
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\MACHINE\Microsoft\Windows NT\SecEdit
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\MACHINE\Microsoft\Windows NT\SecEdit\GptTmpl.inf
Copying c:\IFM\SYSVOL\mylab.com\Policies\{6AC1786C-016F-11D2-945F-00C04FB984F9}\USER
Copying c:\IFM\SYSVOL\mylab.com\scripts
Snapshot {5039baa7-864d-4178-819f-177ef223d1cb} unmounted.
IFM media created successfully in c:\IFM
ifm:
```









- Dashboard
- Local Server
- All Servers
- File and Storage Services ▸

WELCOME TO SERVER MANAGER

QUICK START

WHAT'S NEW

LEARN MORE

- 1 Configure this local server
- 2 Add roles and features ←
- 3 Add other servers to manage
- 4 Create a server group

Hide

ROLES AND SERVER GROUPS

Roles: 1 | Server groups: 1 | Servers total: 1

File and Storage Services 1

- Manageability
- Events
- Performance
- BPA results

Local Server 1

- Manageability
- Events
- 4** Services
- Performance
- BPA results


10/30/2012 8:52 AM


All Servers 1


- Manageability
- Events
- 4** Services
- Performance
- BPA results

10/30/2012 8:52 AM









Add Roles and Features Wizard


DESTINATION SERVER
2K12-SRV


Select server roles

Before You Begin
Installation Type
Server Selection
Server Roles
Features
AD DS
Confirmation
Results

Select one or more roles to install on the selected server.

Roles	Description
<input type="checkbox"/> Active Directory Certificate Services	
<input checked="" type="checkbox"/> Active Directory Domain Services	Active Directory Domain Services (AD DS) stores information about objects on the network and makes this information available to users and network administrators. AD DS uses domain controllers to give network users access to permitted resources anywhere on the network through a single logon process.
<input type="checkbox"/> Active Directory Federation Services	
<input type="checkbox"/> Active Directory Lightweight Directory Services	
<input type="checkbox"/> Active Directory Rights Management Services	
<input type="checkbox"/> Application Server	
<input type="checkbox"/> DHCP Server	
<input type="checkbox"/> DNS Server	
<input type="checkbox"/> Fax Server	
▸ <input checked="" type="checkbox"/> File And Storage Services (Installed)	
<input type="checkbox"/> Hyper-V	
<input type="checkbox"/> Network Policy and Access Services	
<input type="checkbox"/> Print and Document Services	
<input type="checkbox"/> Remote Access	
<input type="checkbox"/> Remote Desktop Services	





Add Roles and Features Wizard

DESTINATION SERVER
2K12-SRV

Installation progress

- Before You Begin
- Installation Type
- Server Selection
- Server Roles
- Features
- AD DS
- Confirmation
- Results**

View installation progress

i Feature installation

Configuration required. Installation succeeded on 2K12-SRV.

Active Directory Domain Services
Additional steps are required to make this machine a domain controller.
[Promote this server to a domain controller](#)

Group Policy Management

Remote Server Administration Tools


Role Administration Tools


- AD DS and AD LDS Tools
 - Active Directory module for Windows PowerShell
- AD DS Tools
 - Active Directory Administrative Center
 - AD DS Snap-Ins and Command-Line Tools

i You can close this wizard without interrupting running tasks. View task progress or open this page again by clicking Notifications in the command bar, and then Task Details.

[Export configuration settings](#)

< Previous Next > Close Cancel





Add Roles and Features Wizard

Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Deployment Configuration

- Deployment Configuration
- Domain Controller Options
- Additional Options
- Paths
- Review Options
- Prerequisites Check
- Installation
- Results

Select the deployment operation

- Add a domain controller to an existing domain
- Add a new domain to an existing forest
- Add a new forest

Specify the domain information for this operation

Domain:

Supply the credentials to perform this operation

administrator@mylab.com

[More about deployment configurations](#)

< Previous **Next >** Install Cancel

Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Domain Controller Options

- Deployment Configuration
- Domain Controller Options**
- DNS Options
- Additional Options
- Paths
- Review Options
- Prerequisites Check
- Installation
- Results

Specify domain controller capabilities and site information

- Domain Name System (DNS) server
- Global Catalog (GC)
- Read only domain controller (RODC)

Site name:


Type the Directory Services Restore Mode (DSRM) password

Password:

Confirm password:

[More about domain controller options](#)

< Previous Next > Install Cancel



Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Additional Options

- Deployment Configuration
- Domain Controller Options
- DNS Options
- Additional Options**
- Paths
- Review Options
- Prerequisites Check
- Installation
- Results

Specify Install From Media (IFM) Options

Install from media


Path: C:\IFM

Specify additional replication options

Replicate from: Any domain controller ▼

[More about additional options](#)

< Previous Next > Install Cancel



Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Additional Options

- Deployment Configuration
- Domain Controller Options
- DNS Options
- Additional Options**
- Paths
- Review Options
- Prerequisites Check
- Installation
- Results

Specify Install From Media (IFM) Options

Install from media

Path: C:\NFM ... Verify

Specify additional replication options

Replicate from: 2K12-DC.mylab.com

[More about additional options](#)

< Previous Next > Install Cancel

Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Paths


- Deployment Configuration
- Domain Controller Options
 - DNS Options
 - Additional Options
 - Paths**
 - Review Options
 - Prerequisites Check
 - Installation
 - Results


Specify the location of the AD DS database, log files, and SYSVOL


Database folder:	<input type="text" value="C:\Windows\NTDS"/>	...
Log files folder:	<input type="text" value="C:\Windows\NTDS"/>	...
SYSVOL folder:	<input type="text" value="C:\Windows\SYSVOL"/>	...


[More about Active Directory paths](#)


< Previous Next > Install Cancel











Active Directory Domain Services Configuration Wizard

Installation

TARGET SERVER
2K12-SRV

- Deployment Configuration
- Domain Controller Options
 - DNS Options
- Additional Options
- Paths
- Review Options
- Prerequisites Check
- Installation**
- Results

Progress

Waiting for DNS installation to finish

View detailed operation results

⚠ Windows Server 2012 domain controllers have a default for the security setting named "Allow cryptography algorithms compatible with Windows NT 4.0" that prevents weaker cryptography algorithms when establishing security channel sessions.

For more information about this setting, see Knowledge Base article 942564 (<http://go.microsoft.com/fwlink/?LinkId=104751>).

⚠ A delegation for this DNS server cannot be created because the authoritative parent zone cannot be found or it does not run Windows DNS server. If you are integrating with an existing DNS infrastructure, you should manually create a delegation to this DNS server in the parent zone to ensure reliable name resolution from outside the domain "mylab.com". Otherwise, no action is required.


More about installation options

< Previous

Next >

Install

Cancel



Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Installation

- Deployment Configuration
- Domain Controller Options
 - DNS Options
- Additional Options
- Paths
- Review Options
- Prerequisites Check
- Installation**
- Results

Progress

Stopping service NETLOGON

^ View detailed operation results


! Windows Server 2012 domain controllers have a default for the security setting named "Allow cryptography algorithms compatible with Windows NT 4.0" that prevents weaker cryptography algorithms when establishing security channel sessions.

For more information about this setting, see Knowledge Base article 942564 (<http://go.microsoft.com/fwlink/?Linkid=104751>).

! A delegation for this DNS server cannot be created because the authoritative parent zone cannot be found or it does not run Windows DNS server. If you are integrating with an existing DNS infrastructure, you should manually create a delegation to this DNS server in the parent zone to ensure reliable name resolution from outside the domain "mylab.com". Otherwise, no action is required.

More about installation options

< Previous Next > Install Cancel



Active Directory Domain Services Configuration Wizard

TARGET SERVER
2K12-SRV

Installation

- Deployment Configuration
- Domain Controller Options
 - DNS Options
- Additional Options
- Paths
- Review Options
- Prerequisites Check
- Installation**
- Results

Progress

Replicated the critical objects in the domain container.

View detailed operation results

 Windows Server 2012 domain controllers have a default for the security setting named "Allow cryptography algorithms compatible with Windows NT 4.0" that prevents weaker cryptography algorithms when establishing security channel sessions.

For more information about this setting, see Knowledge Base article 942564 (<http://go.microsoft.com/fwlink/?Linkid=104751>).

 A delegation for this DNS server cannot be created because the authoritative parent zone cannot be found or it does not run Windows DNS server. If you are integrating with an existing DNS infrastructure, you should manually create a delegation to this DNS server in the parent zone to ensure reliable name resolution from outside the domain "mylab.com". Otherwise, no action is required.

[More about installation options](#)

- < Previous
- Next >
- Install
- Cancel

