

QUESTION 1

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named dc1.contoso.com.

You discover that the Default Domain Policy Group Policy objects (GPOs) and the Default Domain Controllers Policy GPOs were deleted.

You need to recover the Default Domain Policy and the Default Domain Controllers Policy GPOs.

What should you run?

- A. dcgppofix.exe /target:domain
- B. gpfixup.exe /dc:dc1.contoso.com
- C. dcgppofix.exe /target:both
- D. gptfixup.exe /oldnb:contoso /newnb:dc1

QUESTION 2

Your network contains an Active Directory domain named contoso.com. The domain contains more than 100 Group Policy objects (GPOs).

Currently, there are no enforced GPOs. You have two GPOs linked to an organizational unit (OU) named OU1.

You need to change the precedence order of the GPOs.

What should you use?

- A. dcgppofix
- B. Get-GPReport
- C. Gpfixup
- D. Gpresult
- E. Gptedit.msc
- F. Import-GPO
- G. Restore-GPO
- H. Set-GPInheritance
- I. Set-GPLink
- J. Set-GPPermission
- K. Gpupdate
- L. Add-ADGroupMember

QUESTION 3

Computer1 is located in an OU, and the GPO1, User1 is another OU, and as GPO2, to ensure you can apply

GPO1 to User1 should be how to do?

- A. Security filtering
- B. Inheritance
- C. Gpupdate
- D. GPO

QUESTION 4

You have a DNS server named Server1. Server1 has a primary zone named contoso.com. Zone Aging/Scavenging is configured for the contoso.com zone.

One month ago, an Administrator removed a server named Server2 from the network. You discover that a static resource record for Server2 is present in contoso.com.

Resource records for decommissioned client computers are removed automatically from contoso.com.

You need to ensure that the static resource records for all of the servers are removed automatically from

contoso.com.

What should you modify?

- A. The Security settings of the static resource records
- B. The Expires after value of contoso.com
- C. The Record time stamp value of the static resource records
- D. The time-to-live (TTL) value of the static resource records

QUESTION 5

Your network contains an Active Directory domain named contoso.com. The domain contains a server named

Server1 that runs Windows Server 2012.

You enable and configure Routing and Remote Access (RRAS) on Server1. You create a user account named

User1.

You need to ensure that User1 can establish VPN connections to Server1.

What should you do?

- A. Create a network policy.
- B. Modify the members of the Remote Management Users group.
- C. Create a connection request policy.
- D. Add a RADIUS client.

QUESTION 6

Your network contains two servers named Server1 and Server2. Both servers run Windows Server 2012 and have the DNS Server server role installed.

Server1 hosts a primary zone for contoso.com. Server2 hosts a secondary zone for contoso.com.

The zone is not configured to notify secondary servers of changes automatically. You update several records on Server1.

You need to force the replication of the contoso.com zone records from Server1 to Server2.

What should you do from Server2?

- A. Right-click Server2 and click Update Server Data Files.
- B. Right-click Server2 and click Refresh.
- C. Right-click the contoso.com zone and click Reload.
- D. Right-click the contoso.com zone and click Transfer from Master.

QUESTION 7

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2. Both servers run Windows Server 2012.

Both servers have the File and Storage Services server role. The DFS Namespaces role service, and the DFS

Replication role service installed.

Server1 and Server2 are part of a Distributed File System (DFS) Replication group named Group1.

Server1

and Server2 are separated by a low-speed WAN connection.

You need to limit the amount of bandwidth that DFS can use to replicate between Server1 and Server2.

What should you modify?

- A. The cache duration of the namespace
- B. The staging quota of the replicated folder
- C. The referral ordering of the namespace
- D. The schedule of the replication group

QUESTION 8

Your network contains an Active Directory forest named contoso.com. All servers run Windows Server 2012.

You need to create a custom Active Directory application partition.

Which tool should you use?

- A. Dsadd
- B. Dsmmod
- C. Netdom
- D. Dnscmd

QUESTION 9

You have a file server named Server1 that runs Windows Server 2012. Server1 has the File Server Resource

Manager role service installed.

Files created by users in the human resources department are assigned the Department classification property automatically.

You are configuring a file management task named Task1 to remove user files that have not been accessed for 60 days or more.

You need to ensure that Task1 only removes files that have a Department classification property of human

resources. The solution must minimize administrative effort.

What should you configure on Task1?

- A. Create a custom action.
- B. Configure a file screen.
- C. Create a classification rule.
- D. Create a condition.

QUESTION 10

You have a server named Server1 that runs Windows Server 2012.

You create a custom Data Collector Set (DCS) named DCS1.

You need to configure Server1 to start DCS1 automatically when the network usage exceeds 70 percent.

Which type of data collector should you create?

- A. a performance counter alert
- B. a configuration data collector
- C. an event trace data collector
- D. a performance counter data collector